NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER

Expires 12:01 AM April 01, 2018
Issued April 01, 2017

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MS. LORI BEYER
AMERICAN ANALYTICAL LABORATORIES LLC
56 TOLEDO STREET
FARMINGDALE, NY 11735

NY Lab Id No: 11418

is hereby APPROVED as an Environmental Laboratory in conformance with the National Environmental Laboratory Accreditation Conference Standards (2003) for the category ENVIRONMENTAL ANALYSES POTABLE WATER
All approved analytes are listed below:

Metals I	
Barium, Total	EPA 200.7 Rev. 4.4
Cadmium, Total	EPA 200.7 Rev. 4.4
Chromium, Total	EPA 200.7 Rev. 4.4
Copper, Total	EPA 200.7 Rev. 4.4
Iron, Total	EPA 200.7 Rev. 4.4
Manganese, Total	EPA 200.7 Rev. 4.4
Mercury, Total	EPA 245.1 Rev. 3.0
Silver, Total	EPA 200.7 Rev. 4.4
Zinc, Total	EPA 200.7 Rev. 4.4
Metals II	
Aluminum, Total	EPA 200.7 Rev. 4.4
Beryllium, Total	EPA 200.7 Rev. 4.4
Molybdenum, Total	EPA 200.7 Rev. 4.4
Nickel, Total	EPA 200.7 Rev. 4.4
Vanadium, Total	EPA 200.7 Rev. 4.4
Metals III	
Calcium, Total	EPA 200.7 Rev. 4.4
Magnesium, Total	EPA 200.7 Rev. 4.4
Potassium, Total	EPA 200.7 Rev. 4.4
Sodium, Total	EPA 200.7 Rev. 4.4
Miscellaneous	
Ethylene Glycol	Westchester County FID Method
Propylene Glycol	Westchester County FID Method

Non-Metals	
Chloride	SM 18-22 4500-Cl- B (-97)
Nitrate (as N)	LACHAT 10-107-4-1C
Nitrite (as N)	LACHAT 10-107-4-1C
Solids, Total Dissolved	SM 18-22 2540C (-97)

Serial No.: 56004

Property of the New York State Department of Health. Certificates are valid only at the address shown, must be conspicuously posted, and are printed on secure paper. Continued accreditation depends on successful ongoing participation in the Program. Consumers are urged to call (518) 485-5570 to verify the laboratory's accreditation status.

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER

Expires 12:01 AM April 01, 2018
Issued April 01, 2017

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MS. LORI BEYER
AMERICAN ANALYTICAL LABORATORIES LLC
56 TOLEDO STREET
FARMINGDALE, NY 11735

NY Lab Id No: 11418

is hereby APPROVED as an Environmental Laboratory in conformance with the National Environmental Laboratory Accreditation Conference Standards (2003) for the category ENVIRONMENTAL ANALYSES NON POTABLE WATER
All approved analytes are listed below:

Acrylates	
Acrolein (Propenal)	EPA 8260C
	EPA 624
Acrylonitrile	EPA 8260C
	EPA 624
Ethyl methacrylate	EPA 8260C
Methyl methacrylate	EPA 8260C
Amines	
1,2-Diphenylhydrazine	EPA 8270D
2-Nitroaniline	EPA 8270D
3-Nitroaniline	EPA 8270D
4-Chloroaniline	EPA 8270D
4-Nitroaniline	EPA 8270D
Aniline	EPA 8270D
Carbazole	EPA 8270D
Pyridine	EPA 8270D
Benzidines	
3,3'-Dichlorobenzidine	EPA 625
	EPA 8270D
Benzidine	EPA 625
	EPA 8270D
Chlorinated Hydrocarbon Pesticides	
4,4'-DDD	EPA 8081B
	EPA 608
4,4'-DDE	EPA 8081B
Chlorinated Hydrocarbon Pesticides	
4,4'-DDE	EPA 608
4,4'-DDT	EPA 8081B
	EPA 608
Aldrin	EPA 8081B
	EPA 608
alpha-BHC	EPA 8081B
	EPA 608
alpha-Chlordane	EPA 8081B
beta-BHC	EPA 8081B
	EPA 608
Chlordane Total	EPA 8081B
	EPA 608
Chlorobenzilate	EPA 8081B
delta-BHC	EPA 8081B
	EPA 608
Dieldrin	EPA 8081B
	EPA 608
Endosulfan I	EPA 8081B
	EPA 608
Endosulfan II	EPA 8081B
	EPA 608
Endosulfan sulfate	EPA 8081B
	EPA 608
Endrin	EPA 8081B
	EPA 608
Endrin aldehyde	EPA 8081B

Serial No.: 56005

Property of the New York State Department of Health. Certificates are valid only at the address shown, must be conspicuously posted, and are printed on secure paper. Continued accreditation depends on successful ongoing participation in the Program. Consumers are urged to call (518) 485-5570 to verify the laboratory's accreditation status.

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER

Expires 12:01 AM April 01, 2018
Issued April 01, 2017

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MS. LORI BEYER
AMERICAN ANALYTICAL LABORATORIES LLC
56 TOLEDO STREET
FARMINGDALE, NY 11735

NY Lab Id No: 11418

is hereby APPROVED as an Environmental Laboratory in conformance with the National Environmental Laboratory Accreditation Conference Standards (2003) for the category ENVIRONMENTAL ANALYSES NON POTABLE WATER
All approved analytes are listed below:

Chlorinated Hydrocarbon Pesticides	
Endrin aldehyde	EPA 608
Endrin Ketone	EPA 8081B
gamma-Chlordane	EPA 8081B
Heptachlor	EPA 8081B
	EPA 608
Heptachlor epoxide	EPA 8081B
	EPA 608
Lindane	EPA 8081B
	EPA 608
Methoxychlor	EPA 8081B
	EPA 608
Mirex	EPA 8081B
Toxaphene	EPA 8081B
	EPA 608
Chlorinated Hydrocarbons	
1,2,3-Trichlorobenzene	EPA 8260C
1,2,4,5-Tetrachlorobenzene	EPA 8270D
1,2,4-Trichlorobenzene	EPA 625
	EPA 8270D
2-Chloronaphthalene	EPA 625
	EPA 8270D
Hexachlorobenzene	EPA 8081B
	EPA 625
	EPA 8270D
Hexachlorobutadiene	EPA 625

Chlorinated Hydrocarbons	
Hexachlorobutadiene	EPA 8270D
Hexachlorocyclopentadiene	EPA 8081B
	EPA 625
	EPA 8270D
Hexachloroethane	EPA 625
	EPA 8270D
Chlorophenoxy Acid Pesticides	
2,4,5-T	EPA 8151A
2,4,5-TP (Silvex)	EPA 8151A
2,4-D	EPA 8151A
Dicamba	EPA 8151A
Demand	
Chemical Oxygen Demand	HACH 8000
	EPA 410.4 Rev. 2.0
Fuel Oxygenates	
Di-isopropyl ether	EPA 8260C
Ethanol	EPA 8260C
Methyl tert-butyl ether	EPA 8260C
	EPA 624
tert-amyl alcohol	EPA 8260C
tert-amyl methyl ether (TAME)	EPA 8260C
tert-butyl alcohol	EPA 8260C
tert-butyl ethyl ether (ETBE)	EPA 8260C

Serial No.: 56005

Property of the New York State Department of Health. Certificates are valid only at the address shown, must be conspicuously posted, and are printed on secure paper. Continued accreditation depends on successful ongoing participation in the Program. Consumers are urged to call (518) 485-5570 to verify the laboratory's accreditation status.

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER

Expires 12:01 AM April 01, 2018
Issued April 01, 2017

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MS. LORI BEYER
AMERICAN ANALYTICAL LABORATORIES LLC
56 TOLEDO STREET
FARMINGDALE, NY 11735

NY Lab Id No: 11418

is hereby APPROVED as an Environmental Laboratory in conformance with the National Environmental Laboratory Accreditation Conference Standards (2003) for the category ENVIRONMENTAL ANALYSES NON POTABLE WATER
All approved analytes are listed below:

Haloethers	
2,2'-Oxybis(1-chloropropane)	EPA 625
	EPA 8270D
4-Bromophenylphenyl ether	EPA 625
	EPA 8270D
4-Chlorophenylphenyl ether	EPA 625
	EPA 8270D
Bis(2-chloroethoxy)methane	EPA 625
	EPA 8270D
Bis(2-chloroethyl)ether	EPA 625
	EPA 8270D
Low Level Polynuclear Aromatics	
Acenaphthene Low Level	EPA 8270D
Acenaphthylene Low Level	EPA 8270D
Anthracene Low Level	EPA 8270D
Benzo(a)anthracene Low Level	EPA 8270D
Benzo(a)pyrene Low Level	EPA 8270D
Benzo(b)fluoranthene Low Level	EPA 8270D
Benzo(g,h,i)perylene Low Level	EPA 8270D
Benzo(k)fluoranthene Low Level	EPA 8270D
Chrysene Low Level	EPA 8270D
Dibenzo(a,h)anthracene Low Level	EPA 8270D
Fluoranthene Low Level	EPA 8270D
Fluorene Low Level	EPA 8270D
Indeno(1,2,3-cd)pyrene Low Level	EPA 8270D
Naphthalene Low Level	EPA 8270D
Low Level Polynuclear Aromatics	
Phenanthrene Low Level	EPA 8270D
Pyrene Low Level	EPA 8270D
Metals I	
Barium, Total	EPA 200.7 Rev. 4.4
	EPA 6010C
Cadmium, Total	EPA 200.7 Rev. 4.4
	EPA 6010C
Calcium, Total	EPA 200.7 Rev. 4.4
	EPA 6010C
Chromium, Total	EPA 200.7 Rev. 4.4
	EPA 6010C
Copper, Total	EPA 200.7 Rev. 4.4
	EPA 6010C
Iron, Total	EPA 200.7 Rev. 4.4
	EPA 6010C
Lead, Total	EPA 200.7 Rev. 4.4
	EPA 6010C
Magnesium, Total	EPA 200.7 Rev. 4.4
	EPA 6010C
Manganese, Total	EPA 200.7 Rev. 4.4
	EPA 6010C
Nickel, Total	EPA 200.7 Rev. 4.4
	EPA 6010C
Potassium, Total	EPA 200.7 Rev. 4.4
	EPA 6010C

Serial No.: 56005

Property of the New York State Department of Health. Certificates are valid only at the address shown, must be conspicuously posted, and are printed on secure paper. Continued accreditation depends on successful ongoing participation in the Program. Consumers are urged to call (518) 485-5570 to verify the laboratory's accreditation status.

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER

Expires 12:01 AM April 01, 2018
Issued April 01, 2017

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MS. LORI BEYER
AMERICAN ANALYTICAL LABORATORIES LLC
56 TOLEDO STREET
FARMINGDALE, NY 11735

NY Lab Id No: 11418

is hereby APPROVED as an Environmental Laboratory in conformance with the National Environmental Laboratory Accreditation Conference Standards (2003) for the category ENVIRONMENTAL ANALYSES NON POTABLE WATER
All approved analytes are listed below:

Metals I	
Silver, Total	EPA 200.7 Rev. 4.4
	EPA 6010C
Sodium, Total	EPA 200.7 Rev. 4.4
	EPA 6010C
Metals II	
Aluminum, Total	EPA 200.7 Rev. 4.4
	EPA 6010C
Antimony, Total	EPA 200.7 Rev. 4.4
	EPA 6010C
Arsenic, Total	EPA 200.7 Rev. 4.4
	EPA 6010C
Beryllium, Total	EPA 200.7 Rev. 4.4
	EPA 6010C
Chromium VI	EPA 7196A
	SM 3500-Cr B-09,-11
Mercury, Total	EPA 245.1 Rev. 3.0
	EPA 7470A
Selenium, Total	EPA 200.7 Rev. 4.4
	EPA 6010C
Vanadium, Total	EPA 200.7 Rev. 4.4
	EPA 6010C
Zinc, Total	EPA 200.7 Rev. 4.4
	EPA 6010C
Metals III	
Cobalt, Total	EPA 200.7 Rev. 4.4

Metals III	
Cobalt, Total	EPA 6010C
Molybdenum, Total	EPA 200.7 Rev. 4.4
	EPA 6010C
Thallium, Total	EPA 200.7 Rev. 4.4
	EPA 6010C
Tin, Total	EPA 200.7 Rev. 4.4
	EPA 6010C
Titanium, Total	EPA 200.7 Rev. 4.4
	EPA 6010C
Mineral	
Alkalinity	SM 2320B-97,-11
Chloride	SM 4500-Cl- B-97,-11
Hardness, Total	EPA 200.7 Rev. 4.4
Sulfate (as SO4)	ASTM D516-07
	SM 4500-SO4 E-97,-11
Miscellaneous	
Boron, Total	EPA 200.7 Rev. 4.4
	EPA 6010C
Bromide	ASTM D1246-05
	SM 15 p.S44
Cyanide, Total	LACHAT QuikChem 10-204-00-
	EPA 335.4 Rev. 1.0
	EPA 9012B
Oil and Grease Total Recoverable (HEM)	EPA 1664A
	SM 5520B-01,-11

Serial No.: 56005

Property of the New York State Department of Health. Certificates are valid only at the address shown, must be conspicuously posted, and are printed on secure paper. Continued accreditation depends on successful ongoing participation in the Program. Consumers are urged to call (518) 485-5570 to verify the laboratory's accreditation status.

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER

Expires 12:01 AM April 01, 2018
Issued April 01, 2017

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MS. LORI BEYER
AMERICAN ANALYTICAL LABORATORIES LLC
56 TOLEDO STREET
FARMINGDALE, NY 11735

NY Lab Id No: 11418

is hereby APPROVED as an Environmental Laboratory in conformance with the National Environmental Laboratory Accreditation Conference Standards (2003) for the category ENVIRONMENTAL ANALYSES NON POTABLE WATER
All approved analytes are listed below:

Miscellaneous	
Oil and Grease Total Recoverable (HEM)	EPA 9070A (Solvent:Hexane)
Organic Carbon, Total	SM 5310C-00,-11
Phenols	LACHAT 10-210-00-1-A
	EPA 420.4 Rev. 1.0
Specific Conductance	EPA 120.1 Rev. 1982
	EPA 9050A
Sulfide (as S)	SM 4500-S2- F-00,-11
Total Organic Halides	EPA 9020B
Total Petroleum Hydrocarbons	EPA 1664A
Turbidity	EPA 180.1 Rev. 2.0
Nitroaromatics and Isophorone	
2,4-Dinitrotoluene	EPA 625
	EPA 8270D
2,6-Dinitrotoluene	EPA 625
	EPA 8270D
Isophorone	EPA 625
	EPA 8270D
Nitrobenzene	EPA 625
	EPA 8270D
Nitrosoamines	
N-Nitrosodimethylamine	EPA 625
	EPA 8270D
N-Nitrosodi-n-butylamine	EPA 8270D
N-Nitrosodi-n-propylamine	EPA 625
	EPA 8270D
Nitrosoamines	
N-Nitrosodiphenylamine	EPA 625
	EPA 8270D
N-nitrosomethylethylamine	EPA 8270D
N-nitrosomorpholine	EPA 8270D
Nutrient	
Ammonia (as N)	EPA 350.1 Rev. 2.0
	LACHAT 10-107-6-1B, J
Kjeldahl Nitrogen, Total	EPA 351.2 Rev. 2.0
	LACHAT 10-107-06-2
Nitrate (as N)	LACHAT 10-107-4-1C
	EPA 353.2 Rev. 2.0
Nitrate-Nitrite (as N)	EPA 353.2 Rev. 2.0
Nitrite (as N)	LACHAT 10-107-4-1C
	EPA 353.2 Rev. 2.0
Orthophosphate (as P)	SM 4500-P E-99,-11
Phosphorus, Total	LACHAT 10-115-01-1-E, F
	EPA 365.4 Rev. 1974
Organophosphate Pesticides	
Atrazine	EPA 8270D
Parathion ethyl	EPA 8270D
Petroleum Hydrocarbons	
Diesel Range Organics	EPA 8015D
Phthalate Esters	
Benzyl butyl phthalate	EPA 625

Serial No.: 56005

Property of the New York State Department of Health. Certificates are valid only at the address shown, must be conspicuously posted, and are printed on secure paper. Continued accreditation depends on successful ongoing participation in the Program. Consumers are urged to call (518) 485-5570 to verify the laboratory's accreditation status.

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER

Expires 12:01 AM April 01, 2018
Issued April 01, 2017

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MS. LORI BEYER
AMERICAN ANALYTICAL LABORATORIES LLC
56 TOLEDO STREET
FARMINGDALE, NY 11735

NY Lab Id No: 11418

is hereby APPROVED as an Environmental Laboratory in conformance with the National Environmental Laboratory Accreditation Conference Standards (2003) for the category ENVIRONMENTAL ANALYSES NON POTABLE WATER
All approved analytes are listed below:

Phthalate Esters	
Benzyl butyl phthalate	EPA 8270D
Bis(2-ethylhexyl) phthalate	EPA 625
	EPA 8270D
Diethyl phthalate	EPA 625
	EPA 8270D
Dimethyl phthalate	EPA 625
	EPA 8270D
Di-n-butyl phthalate	EPA 625
	EPA 8270D
Di-n-octyl phthalate	EPA 625
	EPA 8270D
Polychlorinated Biphenyls	
PCB-1016	EPA 8082A
	EPA 608
PCB-1221	EPA 8082A
	EPA 608
PCB-1232	EPA 8082A
	EPA 608
PCB-1242	EPA 8082A
	EPA 608
PCB-1248	EPA 8082A
	EPA 608
PCB-1254	EPA 8082A
	EPA 608
PCB-1260	EPA 8082A

Polychlorinated Biphenyls	
PCB-1260	EPA 608
PCB-1262	EPA 8082A
PCB-1268	EPA 8082A
Polynuclear Aromatics	
Acenaphthene	EPA 625
	EPA 8270D
Acenaphthylene	EPA 625
	EPA 8270D
Anthracene	EPA 625
	EPA 8270D
Benzo(a)anthracene	EPA 625
	EPA 8270D
Benzo(a)pyrene	EPA 625
	EPA 8270D
Benzo(b)fluoranthene	EPA 625
	EPA 8270D
Benzo(ghi)perylene	EPA 625
	EPA 8270D
Benzo(k)fluoranthene	EPA 625
	EPA 8270D
Chrysene	EPA 625
	EPA 8270D
Dibenzo(a,h)anthracene	EPA 625
	EPA 8270D
Fluoranthene	EPA 625

Serial No.: 56005

Property of the New York State Department of Health. Certificates are valid only at the address shown, must be conspicuously posted, and are printed on secure paper. Continued accreditation depends on successful ongoing participation in the Program. Consumers are urged to call (518) 485-5570 to verify the laboratory's accreditation status.

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER

Expires 12:01 AM April 01, 2018
Issued April 01, 2017

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MS. LORI BEYER
AMERICAN ANALYTICAL LABORATORIES LLC
56 TOLEDO STREET
FARMINGDALE, NY 11735

NY Lab Id No: 11418

is hereby APPROVED as an Environmental Laboratory in conformance with the National Environmental Laboratory Accreditation Conference Standards (2003) for the category ENVIRONMENTAL ANALYSES NON POTABLE WATER
All approved analytes are listed below:

Polynuclear Aromatics	
Fluoranthene	EPA 8270D
Fluorene	EPA 625
	EPA 8270D
Indeno(1,2,3-cd)pyrene	EPA 625
	EPA 8270D
Naphthalene	EPA 625
	EPA 8270D
Phenanthrene	EPA 625
	EPA 8270D
Pyrene	EPA 625
	EPA 8270D
Priority Pollutant Phenols	
2,3,4,6 Tetrachlorophenol	EPA 8270D
2,4,5-Trichlorophenol	EPA 625
	EPA 8270D
2,4,6-Trichlorophenol	EPA 625
	EPA 8270D
2,4-Dichlorophenol	EPA 625
	EPA 8270D
2,4-Dimethylphenol	EPA 625
	EPA 8270D
2,4-Dinitrophenol	EPA 625
	EPA 8270D
2-Chlorophenol	EPA 625
	EPA 8270D
Priority Pollutant Phenols	
2-Methyl-4,6-dinitrophenol	EPA 625
	EPA 8270D
2-Methylphenol	EPA 8270D
2-Nitrophenol	EPA 625
	EPA 8270D
3-Methylphenol	EPA 8270D
4-Chloro-3-methylphenol	EPA 625
	EPA 8270D
4-Methylphenol	EPA 8270D
4-Nitrophenol	EPA 625
	EPA 8270D
Cresols, Total	EPA 8270D
Pentachlorophenol	EPA 625
	EPA 8270D
Phenol	EPA 625
	EPA 8270D
Residue	
Settleable Solids	SM 2540 F-97,-11
Solids, Total	SM 2540 B-97,-11
Solids, Total Dissolved	SM 2540 C-97,-11
Solids, Total Suspended	SM 2540 D-97,-11
Semi-Volatile Organics	
1,1'-Biphenyl	EPA 8270D
1,2-Dichlorobenzene, Semi-volatile	EPA 8270D
1,3-Dichlorobenzene, Semi-volatile	EPA 8270D

Serial No.: 56005

Property of the New York State Department of Health. Certificates are valid only at the address shown, must be conspicuously posted, and are printed on secure paper. Continued accreditation depends on successful ongoing participation in the Program. Consumers are urged to call (518) 485-5570 to verify the laboratory's accreditation status.

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER

Expires 12:01 AM April 01, 2018
Issued April 01, 2017

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MS. LORI BEYER
AMERICAN ANALYTICAL LABORATORIES LLC
56 TOLEDO STREET
FARMINGDALE, NY 11735

NY Lab Id No: 11418

is hereby APPROVED as an Environmental Laboratory in conformance with the National Environmental Laboratory Accreditation Conference Standards (2003) for the category ENVIRONMENTAL ANALYSES NON POTABLE WATER
All approved analytes are listed below:

Semi-Volatile Organics	
1,4-Dichlorobenzene, Semi-volatile	EPA 8270D
2-Methylnaphthalene	EPA 8270D
Acetophenone	EPA 8270D
Benzaldehyde	EPA 8270D
Benzoic Acid	EPA 8270D
Benzyl alcohol	EPA 8270D
Caprolactam	EPA 8270D
Dibenzofuran	EPA 8270D
Volatile Aromatics	
1,2,4-Trichlorobenzene, Volatile	EPA 8260C
1,2,4-Trimethylbenzene	EPA 8260C
1,2-Dichlorobenzene	EPA 8260C
	EPA 624
1,3,5-Trimethylbenzene	EPA 8260C
1,3-Dichlorobenzene	EPA 8260C
	EPA 624
1,4-Dichlorobenzene	EPA 8260C
	EPA 624
2-Chlorotoluene	EPA 8260C
4-Chlorotoluene	EPA 8260C
Benzene	EPA 8260C
	EPA 624
Bromobenzene	EPA 8260C
Chlorobenzene	EPA 8260C
	EPA 624
Volatile Aromatics	
Ethyl benzene	EPA 8260C
	EPA 624
Isopropylbenzene	EPA 8260C
m/p-Xylenes	EPA 8260C
	EPA 624
Naphthalene, Volatile	EPA 8260C
n-Butylbenzene	EPA 8260C
n-Propylbenzene	EPA 8260C
o-Xylene	EPA 8260C
	EPA 624
p-Isopropyltoluene (P-Cymene)	EPA 8260C
sec-Butylbenzene	EPA 8260C
Styrene	EPA 8260C
tert-Butylbenzene	EPA 8260C
Toluene	EPA 8260C
	EPA 624
Total Xylenes	EPA 8260C
	EPA 624
Volatile Halocarbons	
1,1,1,2-Tetrachloroethane	EPA 8260C
1,1,1-Trichloroethane	EPA 8260C
	EPA 624
1,1,2,2-Tetrachloroethane	EPA 8260C
	EPA 624
1,1,2-Trichloro-1,2,2-Trifluoroethane	EPA 8260C

Serial No.: 56005

Property of the New York State Department of Health. Certificates are valid only at the address shown, must be conspicuously posted, and are printed on secure paper. Continued accreditation depends on successful ongoing participation in the Program. Consumers are urged to call (518) 485-5570 to verify the laboratory's accreditation status.

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER

Expires 12:01 AM April 01, 2018
Issued April 01, 2017

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MS. LORI BEYER
AMERICAN ANALYTICAL LABORATORIES LLC
56 TOLEDO STREET
FARMINGDALE, NY 11735

NY Lab Id No: 11418

is hereby APPROVED as an Environmental Laboratory in conformance with the National Environmental Laboratory Accreditation Conference Standards (2003) for the category ENVIRONMENTAL ANALYSES NON POTABLE WATER
All approved analytes are listed below:

Volatile Halocarbons	
1,1,2-Trichloroethane	EPA 8260C
	EPA 624
1,1-Dichloroethane	EPA 8260C
	EPA 624
1,1-Dichloroethene	EPA 8260C
	EPA 624
1,1-Dichloropropene	EPA 8260C
1,2,3-Trichloropropane	EPA 8260C
1,2-Dibromo-3-chloropropane	EPA 8260C
1,2-Dibromoethane	EPA 8260C
1,2-Dichloroethane	EPA 8260C
	EPA 624
1,2-Dichloropropane	EPA 8260C
	EPA 624
1,3-Dichloropropane	EPA 8260C
2,2-Dichloropropane	EPA 8260C
2-Chloroethylvinyl ether	EPA 8260C
	EPA 624
Bromochloromethane	EPA 8260C
Bromodichloromethane	EPA 8260C
	EPA 624
Bromoform	EPA 8260C
	EPA 624
Bromomethane	EPA 8260C
	EPA 624
Carbon tetrachloride	EPA 8260C

Volatile Halocarbons	
Carbon tetrachloride	EPA 624
Chloroethane	EPA 8260C
	EPA 624
Chloroform	EPA 8260C
	EPA 624
Chloromethane	EPA 8260C
	EPA 624
cis-1,2-Dichloroethene	EPA 8260C
	EPA 624
cis-1,3-Dichloropropene	EPA 8260C
	EPA 624
Dibromochloromethane	EPA 8260C
	EPA 624
Dibromomethane	EPA 8260C
Dichlorodifluoromethane	EPA 8260C
	EPA 624
Hexachlorobutadiene, Volatile	EPA 8260C
Methylene chloride	EPA 8260C
	EPA 624
Tetrachloroethene	EPA 8260C
	EPA 624
trans-1,2-Dichloroethene	EPA 8260C
	EPA 624
trans-1,3-Dichloropropene	EPA 8260C
	EPA 624
Trichloroethene	EPA 8260C

Serial No.: 56005

Property of the New York State Department of Health. Certificates are valid only at the address shown, must be conspicuously posted, and are printed on secure paper. Continued accreditation depends on successful ongoing participation in the Program. Consumers are urged to call (518) 485-5570 to verify the laboratory's accreditation status.

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER

Expires 12:01 AM April 01, 2018
Issued April 01, 2017

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MS. LORI BEYER
AMERICAN ANALYTICAL LABORATORIES LLC
56 TOLEDO STREET
FARMINGDALE, NY 11735

NY Lab Id No: 11418

is hereby APPROVED as an Environmental Laboratory in conformance with the National Environmental Laboratory Accreditation Conference Standards (2003) for the category ENVIRONMENTAL ANALYSES NON POTABLE WATER
All approved analytes are listed below:

Volatile Halocarbons	
Trichloroethene	EPA 624
Trichlorofluoromethane	EPA 8260C
	EPA 624
Vinyl chloride	EPA 8260C
	EPA 624
Volatiles Organics	
1,4-Dioxane	EPA 8260C
2-Butanone (Methylethyl ketone)	EPA 8260C
2-Hexanone	EPA 8260C
4-Methyl-2-Pentanone	EPA 8260C
Acetone	EPA 8260C
	EPA 624
Carbon Disulfide	EPA 8260C
Cyclohexane	EPA 8260C
Di-ethyl ether	EPA 8260C
Ethyl Acetate	EPA 8260C
Isobutyl alcohol	EPA 8260C
Isopropanol	EPA 8260C
Methyl acetate	EPA 8260C
Methyl cyclohexane	EPA 8260C
Vinyl acetate	EPA 8260C
Sample Preparation Methods	
	EPA 5030C
	EPA 9030B
	EPA 3010A

Sample Preparation Methods
EPA 3005A
EPA 3510C

Serial No.: 56005

Property of the New York State Department of Health. Certificates are valid only at the address shown, must be conspicuously posted, and are printed on secure paper. Continued accreditation depends on successful ongoing participation in the Program. Consumers are urged to call (518) 485-5570 to verify the laboratory's accreditation status.

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER

Expires 12:01 AM April 01, 2018
Issued April 01, 2017

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MS. LORI BEYER
AMERICAN ANALYTICAL LABORATORIES LLC
56 TOLEDO STREET
FARMINGDALE, NY 11735

NY Lab Id No: 11418

is hereby APPROVED as an Environmental Laboratory in conformance with the National Environmental Laboratory Accreditation Conference Standards (2003) for the category ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE
All approved analytes are listed below:

Acrylates	
Acrolein (Propenal)	EPA 8260C
Acrylonitrile	EPA 8260C
Ethyl methacrylate	EPA 8260C
Methyl methacrylate	EPA 8260C
Amines	
1,2-Diphenylhydrazine	EPA 8270D
2-Nitroaniline	EPA 8270D
3-Nitroaniline	EPA 8270D
4-Chloroaniline	EPA 8270D
4-Nitroaniline	EPA 8270D
Aniline	EPA 8270D
Carbazole	EPA 8270D
Benzidines	
3,3'-Dichlorobenzidine	EPA 8270D
Benzidine	EPA 8270D
Characteristic Testing	
Corrosivity	EPA 9040C
	EPA 9045D
Free Liquids	EPA 9095B
Ignitability	EPA 1010A
	EPA 1020
Synthetic Precipitation Leaching Proc.	EPA 1312
TCLP	EPA 1311

Chlorinated Hydrocarbon Pesticides	
4,4'-DDD	EPA 8081B
4,4'-DDE	EPA 8081B
4,4'-DDT	EPA 8081B
Aldrin	EPA 8081B
alpha-BHC	EPA 8081B
alpha-Chlordane	EPA 8081B
Atrazine	EPA 8270D
beta-BHC	EPA 8081B
Chlordane Total	EPA 8081B
Chlorobenzilate	EPA 8081B
delta-BHC	EPA 8081B
Dieldrin	EPA 8081B
Endosulfan I	EPA 8081B
Endosulfan II	EPA 8081B
Endosulfan sulfate	EPA 8081B
Endrin	EPA 8081B
Endrin aldehyde	EPA 8081B
Endrin Ketone	EPA 8081B
gamma-Chlordane	EPA 8081B
Heptachlor	EPA 8081B
Heptachlor epoxide	EPA 8081B
Lindane	EPA 8081B
Methoxychlor	EPA 8081B
Toxaphene	EPA 8081B

Serial No.: 56006

Property of the New York State Department of Health. Certificates are valid only at the address shown, must be conspicuously posted, and are printed on secure paper. Continued accreditation depends on successful ongoing participation in the Program. Consumers are urged to call (518) 485-5570 to verify the laboratory's accreditation status.

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER

Expires 12:01 AM April 01, 2018
Issued April 01, 2017

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MS. LORI BEYER
AMERICAN ANALYTICAL LABORATORIES LLC
56 TOLEDO STREET
FARMINGDALE, NY 11735

NY Lab Id No: 11418

is hereby APPROVED as an Environmental Laboratory in conformance with the National Environmental Laboratory Accreditation Conference Standards (2003) for the category ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE
All approved analytes are listed below:

Chlorinated Hydrocarbons	
1,2,3-Trichlorobenzene	EPA 8260C
1,2,4,5-Tetrachlorobenzene	EPA 8270D
1,2,4-Trichlorobenzene	EPA 8270D
2-Chloronaphthalene	EPA 8270D
Hexachlorobenzene	EPA 8270D
Hexachlorobutadiene	EPA 8270D
Hexachlorocyclopentadiene	EPA 8270D
Hexachloroethane	EPA 8270D
Chlorophenoxy Acid Pesticides	
2,4,5-T	EPA 8151A
2,4,5-TP (Silvex)	EPA 8151A
2,4-D	EPA 8151A
Dicamba	EPA 8151A
Haloethers	
2,2'-Oxybis(1-chloropropane)	EPA 8270D
4-Bromophenylphenyl ether	EPA 8270D
4-Chlorophenylphenyl ether	EPA 8270D
Bis(2-chloroethoxy)methane	EPA 8270D
Bis(2-chloroethyl)ether	EPA 8270D
Metals I	
Barium, Total	EPA 6010C
Cadmium, Total	EPA 6010C
Calcium, Total	EPA 6010C
Chromium, Total	EPA 6010C
Metals I	
Copper, Total	EPA 6010C
Iron, Total	EPA 6010C
Lead, Total	EPA 6010C
Magnesium, Total	EPA 6010C
Manganese, Total	EPA 6010C
Nickel, Total	EPA 6010C
Potassium, Total	EPA 6010C
Silver, Total	EPA 6010C
Sodium, Total	EPA 6010C
Metals II	
Aluminum, Total	EPA 6010C
Antimony, Total	EPA 6010C
Arsenic, Total	EPA 6010C
Beryllium, Total	EPA 6010C
Chromium VI	EPA 7196A
Mercury, Total	EPA 7471B
Selenium, Total	EPA 6010C
Vanadium, Total	EPA 6010C
Zinc, Total	EPA 6010C
Metals III	
Cobalt, Total	EPA 6010C
Molybdenum, Total	EPA 6010C
Thallium, Total	EPA 6010C
Tin, Total	EPA 6010C
Titanium, Total	EPA 6010C

Serial No.: 56006

Property of the New York State Department of Health. Certificates are valid only at the address shown, must be conspicuously posted, and are printed on secure paper. Continued accreditation depends on successful ongoing participation in the Program. Consumers are urged to call (518) 485-5570 to verify the laboratory's accreditation status.

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER

Expires 12:01 AM April 01, 2018
Issued April 01, 2017

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MS. LORI BEYER
AMERICAN ANALYTICAL LABORATORIES LLC
56 TOLEDO STREET
FARMINGDALE, NY 11735

NY Lab Id No: 11418

is hereby APPROVED as an Environmental Laboratory in conformance with the National Environmental Laboratory Accreditation Conference Standards (2003) for the category ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE
All approved analytes are listed below:

Minerals	
Chloride	EPA 9253
Sulfate (as SO4)	EPA 9038
Miscellaneous	
Boron, Total	EPA 6010C
Cyanide, Total	EPA 9014
	EPA 9012B
Extractable Organic Halides	EPA 9023
Organic Carbon, Total	Lloyd Kahn Method
Phenols	EPA 9066
Specific Conductance	EPA 9050A
Sulfide (as S)	EPA 9034
Total Organic Halides	EPA 9020B
Nitroaromatics and Isophorone	
2,4-Dinitrotoluene	EPA 8270D
Isophorone	EPA 8270D
Nitrobenzene	EPA 8270D
Pyridine	EPA 8270D
Nitrosoamines	
N-Nitrosodimethylamine	EPA 8270D
N-Nitrosodi-n-propylamine	EPA 8270D
N-Nitrosodiphenylamine	EPA 8270D
Organophosphate Pesticides	
Parathion ethyl	EPA 8270D
Petroleum Hydrocarbons	
Diesel Range Organics	EPA 8015D
Gasoline Range Organics	EPA 8015D
Oil and Grease Total Recoverable (HEM)	EPA 9071B (Solvent:Hexane)
Phthalate Esters	
Benzyl butyl phthalate	EPA 8270D
Bis(2-ethylhexyl) phthalate	EPA 8270D
Diethyl phthalate	EPA 8270D
Dimethyl phthalate	EPA 8270D
Di-n-butyl phthalate	EPA 8270D
Di-n-octyl phthalate	EPA 8270D
Polychlorinated Biphenyls	
PCB-1016	EPA 8082A
PCB-1221	EPA 8082A
PCB-1232	EPA 8082A
PCB-1242	EPA 8082A
PCB-1248	EPA 8082A
PCB-1254	EPA 8082A
PCB-1260	EPA 8082A
PCB-1262	EPA 8082A
PCB-1268	EPA 8082A
PCBs in Oil	EPA 8082A
Polynuclear Aromatic Hydrocarbons	
Acenaphthene	EPA 8270D
Acenaphthylene	EPA 8270D

Serial No.: 56006

Property of the New York State Department of Health. Certificates are valid only at the address shown, must be conspicuously posted, and are printed on secure paper. Continued accreditation depends on successful ongoing participation in the Program. Consumers are urged to call (518) 485-5570 to verify the laboratory's accreditation status.

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER

Expires 12:01 AM April 01, 2018
Issued April 01, 2017

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MS. LORI BEYER
AMERICAN ANALYTICAL LABORATORIES LLC
56 TOLEDO STREET
FARMINGDALE, NY 11735

NY Lab Id No: 11418

is hereby APPROVED as an Environmental Laboratory in conformance with the National Environmental Laboratory Accreditation Conference Standards (2003) for the category ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE
All approved analytes are listed below:

Polynuclear Aromatic Hydrocarbons	
Anthracene	EPA 8270D
Benzo(a)anthracene	EPA 8270D
Benzo(a)pyrene	EPA 8270D
Benzo(b)fluoranthene	EPA 8270D
Benzo(ghi)perylene	EPA 8270D
Benzo(k)fluoranthene	EPA 8270D
Chrysene	EPA 8270D
Dibenzo(a,h)anthracene	EPA 8270D
Fluoranthene	EPA 8270D
Fluorene	EPA 8270D
Indeno(1,2,3-cd)pyrene	EPA 8270D
Naphthalene	EPA 8270D
Phenanthrene	EPA 8270D
Pyrene	EPA 8270D
Priority Pollutant Phenols	
2,3,4,6 Tetrachlorophenol	EPA 8270D
2,4,5-Trichlorophenol	EPA 8270D
2,4,6-Trichlorophenol	EPA 8270D
2,4-Dichlorophenol	EPA 8270D
2,4-Dimethylphenol	EPA 8270D
2,4-Dinitrophenol	EPA 8270D
2-Chlorophenol	EPA 8270D
2-Methyl-4,6-dinitrophenol	EPA 8270D
2-Methylphenol	EPA 8270D
2-Nitrophenol	EPA 8270D

Priority Pollutant Phenols	
3-Methylphenol	EPA 8270D
4-Chloro-3-methylphenol	EPA 8270D
4-Methylphenol	EPA 8270D
4-Nitrophenol	EPA 8270D
Pentachlorophenol	EPA 8270D
Phenol	EPA 8270D
Semi-Volatile Organics	
1,1'-Biphenyl	EPA 8270D
1,2-Dichlorobenzene, Semi-volatile	EPA 8270D
1,3-Dichlorobenzene, Semi-volatile	EPA 8270D
1,4-Dichlorobenzene, Semi-volatile	EPA 8270D
2-Methylnaphthalene	EPA 8270D
Acetophenone	EPA 8270D
Benzaldehyde	EPA 8270D
Benzoic Acid	EPA 8270D
Benzyl alcohol	EPA 8270D
Caprolactam	EPA 8270D
Dibenzofuran	EPA 8270D
Volatile Aromatics	
1,2,4-Trichlorobenzene, Volatile	EPA 8260C
1,2,4-Trimethylbenzene	EPA 8260C
1,2-Dichlorobenzene	EPA 8260C
1,3,5-Trimethylbenzene	EPA 8260C
1,3-Dichlorobenzene	EPA 8260C
1,4-Dichlorobenzene	EPA 8260C

Serial No.: 56006

Property of the New York State Department of Health. Certificates are valid only at the address shown, must be conspicuously posted, and are printed on secure paper. Continued accreditation depends on successful ongoing participation in the Program. Consumers are urged to call (518) 485-5570 to verify the laboratory's accreditation status.

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER

Expires 12:01 AM April 01, 2018
Issued April 01, 2017

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MS. LORI BEYER
AMERICAN ANALYTICAL LABORATORIES LLC
56 TOLEDO STREET
FARMINGDALE, NY 11735

NY Lab Id No: 11418

is hereby APPROVED as an Environmental Laboratory in conformance with the National Environmental Laboratory Accreditation Conference Standards (2003) for the category ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE
All approved analytes are listed below:

Volatile Aromatics

2-Chlorotoluene	EPA 8260C
4-Chlorotoluene	EPA 8260C
Benzene	EPA 8260C
Bromobenzene	EPA 8260C
Chlorobenzene	EPA 8260C
Ethyl benzene	EPA 8260C
Isopropylbenzene	EPA 8260C
m/p-Xylenes	EPA 8260C
Naphthalene, Volatile	EPA 8260C
n-Butylbenzene	EPA 8260C
n-Propylbenzene	EPA 8260C
o-Xylene	EPA 8260C
p-Isopropyltoluene (P-Cymene)	EPA 8260C
sec-Butylbenzene	EPA 8260C
Styrene	EPA 8260C
tert-Butylbenzene	EPA 8260C
Toluene	EPA 8260C
Total Xylenes	EPA 8260C

Volatile Halocarbons

1,1,1,2-Tetrachloroethane	EPA 8260C
1,1,1-Trichloroethane	EPA 8260C
1,1,2,2-Tetrachloroethane	EPA 8260C
1,1,2-Trichloro-1,2,2-Trifluoroethane	EPA 8260C
1,1,2-Trichloroethane	EPA 8260C
1,1-Dichloroethane	EPA 8260C

Volatile Halocarbons

1,1-Dichloroethene	EPA 8260C
1,1-Dichloropropene	EPA 8260C
1,2,3-Trichloropropane	EPA 8260C
1,2-Dibromo-3-chloropropane	EPA 8260C
1,2-Dibromoethane	EPA 8260C
1,2-Dichloroethane	EPA 8260C
1,2-Dichloropropane	EPA 8260C
1,3-Dichloropropane	EPA 8260C
2,2-Dichloropropane	EPA 8260C
2-Chloroethylvinyl ether	EPA 8260C
Bromochloromethane	EPA 8260C
Bromodichloromethane	EPA 8260C
Bromoform	EPA 8260C
Bromomethane	EPA 8260C
Carbon tetrachloride	EPA 8260C
Chloroethane	EPA 8260C
Chloroform	EPA 8260C
Chloromethane	EPA 8260C
cis-1,2-Dichloroethene	EPA 8260C
cis-1,3-Dichloropropene	EPA 8260C
Dibromochloromethane	EPA 8260C
Dibromomethane	EPA 8260C
Dichlorodifluoromethane	EPA 8260C
Hexachlorobutadiene, Volatile	EPA 8260C
Methylene chloride	EPA 8260C
Tetrachloroethene	EPA 8260C

Serial No.: 56006

Property of the New York State Department of Health. Certificates are valid only at the address shown, must be conspicuously posted, and are printed on secure paper. Continued accreditation depends on successful ongoing participation in the Program. Consumers are urged to call (518) 485-5570 to verify the laboratory's accreditation status.

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER

Expires 12:01 AM April 01, 2018
Issued April 01, 2017

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MS. LORI BEYER
AMERICAN ANALYTICAL LABORATORIES LLC
56 TOLEDO STREET
FARMINGDALE, NY 11735

NY Lab Id No: 11418

is hereby APPROVED as an Environmental Laboratory in conformance with the National Environmental Laboratory Accreditation Conference Standards (2003) for the category ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE
All approved analytes are listed below:

Volatile Halocarbons	
trans-1,2-Dichloroethene	EPA 8260C
trans-1,3-Dichloropropene	EPA 8260C
Trichloroethene	EPA 8260C
Trichlorofluoromethane	EPA 8260C
Vinyl chloride	EPA 8260C
Volatile Organics	
1,4-Dioxane	EPA 8260C
2-Butanone (Methylethyl ketone)	EPA 8260C
2-Hexanone	EPA 8260C
4-Methyl-2-Pentanone	EPA 8260C
Acetone	EPA 8260C
Carbon Disulfide	EPA 8260C
Cyclohexane	EPA 8260C
Di-ethyl ether	EPA 8260C
Ethyl Acetate	EPA 8260C
Isobutyl alcohol	EPA 8260C
Isopropanol	EPA 8260C
Methyl acetate	EPA 8260C
Methyl cyclohexane	EPA 8260C
Methyl tert-butyl ether	EPA 8260C
tert-butyl alcohol	EPA 8260C
Vinyl acetate	EPA 8260C
Sample Preparation Methods	
	EPA 5035A-L
	EPA 5035A-H

Sample Preparation Methods
EPA 3580A
EPA 9030B
EPA 3010A
EPA 3050B
EPA 3550C
EPA 3546
EPA 3060A

Serial No.: 56006

Property of the New York State Department of Health. Certificates are valid only at the address shown, must be conspicuously posted, and are printed on secure paper. Continued accreditation depends on successful ongoing participation in the Program. Consumers are urged to call (518) 485-5570 to verify the laboratory's accreditation status.

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER

Expires 12:01 AM April 01, 2018
Issued April 01, 2017

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MS. LORI BEYER
AMERICAN ANALYTICAL LABORATORIES LLC
56 TOLEDO STREET
FARMINGDALE, NY 11735

NY Lab Id No: 11418

is hereby APPROVED as an Environmental Laboratory for the category
ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE
All approved subcategories and/or analytes are listed below:

Miscellaneous

Lead in Dust Wipes	EPA 6010C
	NIOSH 9100
Lead in Paint	EPA 6010C

Sample Preparation Methods

	EPA 3050B

Serial No.: 56007

Property of the New York State Department of Health. Certificates are valid only at the address shown, must be conspicuously posted, and are printed on secure paper. Continued accreditation depends on successful ongoing participation in the Program. Consumers are urged to call (518) 485-5570 to verify the laboratory's accreditation status.

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER

Expires 12:01 AM April 01, 2018
Issued April 01, 2017

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MS. LORI BEYER
AMERICAN ANALYTICAL LABORATORIES LLC
56 TOLEDO STREET
FARMINGDALE, NY 11735

NY Lab Id No: 11418

is hereby APPROVED as an Environmental Laboratory in conformance with the National Environmental Laboratory Accreditation Conference Standards (2003) for the category ENVIRONMENTAL ANALYSES AIR AND EMISSIONS
All approved analytes are listed below:

Metals II

Beryllium, Total	NIOSH 7300
Mercury, Total	NIOSH 6009

Metals III

Chromium, Total	NIOSH 7300

Serial No.: 56008

Property of the New York State Department of Health. Certificates are valid only at the address shown, must be conspicuously posted, and are printed on secure paper. Continued accreditation depends on successful ongoing participation in the Program. Consumers are urged to call (518) 485-5570 to verify the laboratory's accreditation status.

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER

Expires 12:01 AM April 01, 2018
Issued April 01, 2017

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MS. LORI BEYER
AMERICAN ANALYTICAL LABORATORIES LLC
56 TOLEDO STREET
FARMINGDALE, NY 11735

NY Lab Id No: 11418

is hereby APPROVED as an Environmental Laboratory for the category
ENVIRONMENTAL ANALYSES AIR AND EMISSIONS
All approved subcategories and/or analytes are listed below:

Metals I

Lead, Total	NIOSH 7300

Serial No.: 56009

Property of the New York State Department of Health. Certificates are valid only at the address shown, must be conspicuously posted, and are printed on secure paper. Continued accreditation depends on successful ongoing participation in the Program. Consumers are urged to call (518) 485-5570 to verify the laboratory's accreditation status.